

PHILIPS Entertainment



**PHILIPS SELECON EUROPE. Prislister i
dkr. Eksklusive moms, gældende fra
september 2010.**

theatrical pages 2-18; **specialised display** pages 19-28

accessories pages 29-34; **lamps** pages 34-35

y bond; plug; colour frame; safety mesh as required; and lamp (unless otherwise specified). Suspension clamps are NOT included, please order these separately.

Full product information and support is available via:

www.seleconlight.com

Selecon has developed or distributes a number of support materials to assist the development of stage lighting practise.

SWONPOSTERSET

Set of seven 'Switched On' posters developed for Selecon by Neil Fraser of RADA, with full web based research and teaching programmes.

300,00

FRESNEL LUMINAIRES



ACCLAIM FRESNEL 6°-60° - Black

Industry standard 110mm lens.

Luminaire with integrated safety bond supplied with colour frame (125mm square), lens safety mesh, fitted Schuko plug, M12 suspension bolt set and instruction leaflet.

12ACFSCH

Acclaim Fresnel - black.

1436,00



ACCLAIM FRESNEL 6°-60° - White

Industry standard 110mm lens.

Original model luminaire (no integrated safety bond) supplied with colour frame (125mm square), safety bond, lens safety mesh, fitted Schuko plug, M12 suspension bolt set and instruction leaflet.

12ACFMSWHSCH

Acclaim Fresnel - white with black interior.

1928,00

Selecon recommend these tungsten halogen lamps for

Accessories for all

20BDMF

Barndoor - black.

263,00

20BDMFWB

Barndoor - white exterior / black interior.

390,00

15ACSM

Additional lens safety mesh.

30,00



RAMA 150 FRESNEL 7°-50°

Industry standard 150mm lens, adjustable lamp base for 1200W (factory setting) or 1000W lamp.

Luminaire with integrated safety bond supplied with colour frame (185mm square), lens safety mesh and fitted Schuko plug.

Standard model shipped with M12 suspension bolt set and instruction

16RAFR150SCH

Rama 150 Fresnel with GX 9.5 lamp base and standard yoke.

2678,00

16RAFR150FTSCH

Rama 150 Fresnel with GX 9.5 lamp base and Fast Focus yoke.

2970,00

Selecon recommend these tungsten halogen lamps for

G22 luminaire with integrated safety bond supplied as above.

16RAFR150G22SCH

Rama 150 Fresnel with G22 lamp base and standard yoke.

2835,00

16RAFR150G22FTSCH

Rama 150 Fresnel with G22 lamp base and Fast Focus yoke.

3015,00

Selecon recommend these tungsten halogen lamps for



RAMA HP 175 FRESNEL 7°-50°

Selecon high performance 175mm lens, adjustable lamp base for 1200W (factory setting) or 1000W lamp base.

Luminaire with integrated safety bond supplied with colour frame (185mm square), lens safety mesh and fitted Schuko plug.

Standard model shipped with M12 suspension bolt set and instruction leaflet.

16RAFR175SCH

Rama High Performance 175 Fresnel with GX 9.5 lamp base and standard yoke.

3263,00

16RAFR175FTSCH

Rama High Performance 175 Fresnel with GX 9.5 lamp base and Fast Focus yoke.

3555,00

Selecon recommend these tungsten halogen lamps for

G22 luminaire with integrated safety bond supplied as above.

16RAFR175G22SCH

Rama High Performance 175 Fresnel with G22 lamp base and standard yoke.

3413,00

16RAFR175G22FTSCH

Rama High Performance 175 Fresnel with G22 lamp base and Fast Focus yoke.

3713,00

Selecon recommend these tungsten halogen lamps for

RAMA 175 HP 80V FRESNEL



16RAFR17580V

Rama High Performance 175 80V Fresnel.

3803,00

PLUS you must order the power supply as well:

18DMX80VPSSCH

80V independent variable output power supply; DMX control for the Pacific range and Rama High Performance I

4703,00

8505,00

Accessories for

20BDSF12

Barndoor.

465,00

20BDSF128

8-flap Rama Barndoor.

623,00

20SM6

Additional lens safety mesh.

38,00

ARENA THEATRE FRESNEL 2.0kW 7°-60°

General purpose 2.0kW Fresnel (200mm lens / GY16 lamp base) featuring Cool Touch technology.

Luminaire with integrated safety bond supplied with colour frame (245mm square), lens safety mesh, fitted Schuko plug, M12 suspension bolt set and instruction leaflet.



10SF2020GY16SCH

Arena Theatre Fresnel 2000W with posi-slide focus.

4388,00

recommends this tungsten halogen lamp for best performance: CP72 (2000W).

ARENA THEATRE FRESNEL 2.0 / 2.5kW 7°-60°

General purpose 2.5kW Fresnel (200mm lens / G 22 lamp base) featuring Cool Touch technology.

Luminaire with integrated safety bond supplied as above.

10SF2520G22SCH Arena Theatre Fresnel 2000/2500W with posi-slide focus action. 4388,00
Selecon recommends this tungsten halogen lamp for

10SF2520G22MY Arena Theatre Fresnel for mounting in motorised yoke, includes focus drive mechanism for connection to motor 5123,00

Accessories for

20BDSF2020 Barndoor. 735,00

20BDSF20208 8-flap Barndoor. 1088,00

20SM24 Additional lens safety mesh. 54,00

ARENA HP FRESNEL 2.0 / 2.5kW 7°-60°



NEW MODEL high performance 2.0kW theatre and studio Fresnel (250mm lens / GY16 lamp base) featuring Cool Touch technology.

Luminaire with integrated safety bond supplied with colour frame (245mm x 310mm), lens safety mesh, fitted Schuko plug, M12 suspension bolt set and instruction leaflet.

10SF2520GY16SCH Arena High Performance Fresnel 2000W. 5783,00
recommends this tungsten halogen lamp for best performance: CP72 (2000W).

ARENA HP FRESNEL 2.0 / 2.5kW 8°-60°

NEW MODEL high performance 2.0 / 2.5 kW theatre and studio Fresnel (250mm lens / G 22 lamp base) featuring Cool Touch technology.

Luminaire with integrated safety bond supplied as above.

10SF2525G22SCH Arena High Performance Fresnel 2500W. 5783,00
recommends this tungsten halogen lamp for best performance: CP91 (2500W).

10SF2525MY Arena High Performance Fresnel for mounting in motorised yoke, includes focus drive mechanism for connection to motor by others. 6135,00

Accessories for

20BDSF2025 Barndoor. 1283,00

20BDSF20258 8-flap Barndoor. 1575,00

20SM25 Additional lens safety mesh. 68,00

LANO CONVEX (PC) LUMINAIRES



ACCLAIM PC 4°-64°

Industry standard 110mm lens.

Luminaire with integrated safety bond supplied with colour frame (125mm square), lens safety mesh, fitted Schuko plug, M12 suspension bolt set and instruction leaflet.

12ACPCSCH

Acclaim PC.

1553,00

Selecon recommend these tungsten halogen lamps for

Accessories for

20BDMF

Barndoor.

263,00

15ACSM

Additional lens safety mesh.

30,00



RAMA 150 PC 5°-60°

Industry standard 150mm lens, adjustable lamp base for 1200W (factory setting) or 1000W lamp.

Luminaire with integrated safety bond supplied with colour frame (185mm square), lens safety mesh, fitted Schuko plug.

Standard model shipped with M12 suspension bolt set and instruction leaflet.

16RAPC150SCH

Rama 150 PC with GX 9.5 lamp base and standard yoke.

2873,00

16RAPC150FTSCH

Rama 150 PC with GX 9.5 lamp base and Fast Focus yoke.

3165,00

Selecon recommend these tungsten halogen lamps for best performance for Rama

RAMA HP 175 PC 4.5°-62°



Selecon's leading High Performance 1.0 / 1.2kW PC using the Selecon high performance 175mm lens, adjustable lamp base for 1200W (factory setting) or 1000W lamp, integrated safety bond and adjustable yoke.

Luminaire with integrated safety bond supplied with colour frame (185mm square), lens safety mesh and fitted Schuko plug.

Standard model shipped with M12 suspension bolt set and instruction leaflet.

16RAPC175SCH

Rama High Performance 175 PC with GX 9.5 lamp base and standard yoke.

3338,00

16RAPC175FTSCH

Rama High Performance 175 PC with GX 9.5 lamp base and Fast Focus yoke.

3608,00

Selecon recommend these tungsten halogen lamps for best performance for Rama

10RAPC175MY

Rama 175 PC for motorised yoke operation.

3960,00

Accessories for all

20BDSF12

Barndoor.

465,00

20BDSF128

8-flap Rama Barndoor.

623,00

20SM6

Additional lens safety mesh.

38,00



ARENA PC 2.0kW 4.5°-60°

2kW PC for large theatres, long throws and studios (200mm lens / GY 16 lamp base) featuring Cool Touch Technology.

Luminaire with integrated safety bond supplied with colour frame (245mm square), lens safety mesh, fitted Schuko plug, M12 suspension bolt set & instruction leaflet.

10SPC20GY16SCH

Arena PC 2000W with posi-slide focus.

4815,00

Selecon recommends this tungsten halogen lamp for

10SPC20GY16MY

Arena PC 2000 for motorised yoke operation.

5588,00

ARENA PC 2.0 / 2.5kW 4.5°-60°

2.0 / 2.5kW PC for large theatres, long throws and studios (200mm lens / G 22 lamp base) featuring Cool Touch Technology.

Luminaire with integrated safety bond supplied with colour frame (245mm square), lens safety mesh, fitted Schuko plug, M12 suspension bolt set & instruction leaflet.

10SPC25G22SCH

Arena PC 2000/2500W with posi-slide focus.

4815,00

Selecon recommends this tungsten halogen lamp for

10SPC25G22MY

Arena PC 2500 for Motorised Operation

5588,00

Accessories for

20BDSF2020

Barndoor.

735,00

20BDSF20208

8-flap Barndoor.

1088,00

20SM24

Additional lens safety mesh.

54,00



ZOOMSPOT LUMINAIRES

ACCLAIM ZOOMSPOTS

Variable beam base down Zoomspots. Pattern size: M.

Choice of 18-34° medium throw and 24-44° short throw with interchangeable lens trays

Luminaire with colour frame (125mm square), safety bond, fitted Schuko plug, M12 suspension bolt set & instruction leaflet.

12ACZSSCH Acclaim 18°-34° Zoomspot. 2610,00

12ACZSWSCH Acclaim 24°-44° Zoomspot. 2610,00

Selecon recommend these tungsten halogen lamps for

15ACLTW 24-44 wide lens tray assembly. 1245,00

15ACLTS 18-34 lens tray assembly. 1245,00

Pattern holders, iris and lens safety mesh as per accessories for Acclaim Axial Zoomspot.



ACCLAIM AXIAL ZOOMSPOT

Choice of 18°-34° & 24° -44°, with interchangeable lens trays (no tools).
Pattern size: M.

Chrome models made only to special order.

Luminaire with colour frame (125mm square), safety bond, fitted Schuko plug, M12 suspension bolt set & instruction leaflet.

12ACX1834SCH Acclaim Axial 18°-34° Zoomspot - black. 3000,00

12ACX1834WHSCH Acclaim Axial 18°-34° Zoomspot - high temperature white. 3810,00

12ACX2444SCH Acclaim Axial 24°-44° Zoomspot - black. 3000,00

12ACX2444WHSCH Acclaim Axial 24°-44° Zoomspot - high temperature white. 3810,00

Selecon recommend these tungsten halogen lamps for

15ACAX1834LT 18-34 lens tray. 1245,00

15ACAX1834LTWB 18-34 lens tray - high temperature white and black. 1358,00

15ACAX2444LT 24-44 wide lens tray. 1245,00

15ACAX2444LTWB 24-44 wide lens tray - high temperature white and black. 1358,00

Accessories for

15ACGH Pattern holder for M size patterns - black handle. 165,00

15ACGHW Pattern holder for M size patterns - white handle. 173,00

15ACGHGL Pattern holder for M size glass patterns - black handle. 165,00

15ACGHGLW Pattern holder for M size glass patterns - white handle. 173,00

15ACIRIS Adjustable iris - 20 leaf. 1125,00

15ACSM Lens safety mesh. 30,00

ena Zoomspots - MA

ARENA ZOOMSPOT 2.0kW

Ellipsoidal 2.0kW luminaires, three models.

Lamp option (GY 16 lamp base) - CP72/ 43 - 2000W.

Medium & Wide - Luminaire shipped with colour frame (245mm square),
M12 suspension bolt set & instruction leaflet.

Narrow - Luminaire shipped with colour frame (306mm x 275mm), M12
suspension bolt set & instruction leaflet.

| | | |
|--------------------|------------------------|----------|
| 10AZS20WSCH | Zoomspot Wide 20-37. | 10568,00 |
| 10AZS20MSCH | Zoomspot Medium 14-32. | 10568,00 |
| 10AZS20NSCH | Zoomspot Narrow 9-18. | 11340,00 |

ARENA ZOOMSPOT 2.5kW

Details all as per above except with:

Lamp options (G 22 lamp base) - CP92 2000W or CP91 2500W.

| | | |
|--------------------|------------------------------|----------|
| 10AZS25WSCH | Arena Zoomspot Wide 20-37. | 10568,00 |
| 10AZS25MSCH | Arena Zoomspot Medium 14-32. | 10568,00 |
| 10AZS25NSCH | Arena Zoomspot Narrow 9-18. | 11340,00 |

Accessories for

Accessories for Arena Zoomspots

| | | |
|---------------|-------------------------------------|---------|
| 20AZGH | Arena Rotatable Pattern Holder. | 165,00 |
| 20IRIS | Adjustable Iris - 20 leaf. | 893,00 |
| 20SM20 | Lens Safety Mesh for Medium & Wide. | 64,00 |
| 20SM25 | Lens Safety Mesh for Narrow. | 68,00 |
| 20ALAM | Arena Zoomspot Medium Lens Tray. | 3030,00 |
| 20ALAW | Arena Zoomspot Wide Lens Tray. | 3030,00 |

INTRODUCING THE PACIFIC RANGE:

All luminaires supplied with colour frame, lamps as and where specified,
safety bond, fitted Schuko plug, M12 suspension bolt set & instruction
leaflet

COMPONENT CODES & ACCESSORIES LISTED FROM PAGE 13.

Pacific Tungsten Halogen 600W / 800W (blue handle lamp module):

5.5°-13° Zoomspot fitted with Schuko plug.

Component codes: 18PAC513LT + 19PACHSE + 19PACLM6SCH

7.5°-19° Zoomspot fitted with Schuko plug.

Component codes: 18PAC719LT + 19PACHSE + 19PACLM6SCH

12°-28° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1228 + 19PACHSE + 19PACLM6SCH

14°-35° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1435 + 19PACHSE + 19PACLM6SCH

23°-50° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE2650 + 19PACHSE + 19PACLM6SCH

45°-75° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE4575 + 19PACHSE + 19PACLM6SCH

5° High Efficiency Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE5HE + 19PACHSE + 19PACLM6SCH

Fixed Beam with the lens of your choice (see page 13) and fitted with Schuko plug.

Component codes: 19PACTUBE + 19PACHSE + 19PACLM6SCH + 18PACL20 or 18PACL30 or 18PACL40 or 18PACL50

90° Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE90 + 19PACHSE + 19PACLM6SCH



6863,00

6863,00

4298,00

4298,00

4298,00

4958,00

9960,00

4065,00

4410,00

Pacific Tungsten Halogen 1000W (red handle lamp module):

5.5°-13° Zoomspot fitted with Schuko plug.

Component codes: 18PAC513LT + 19PACHSE + 19PACLM1SCH

7.5°-19° Zoomspot fitted with Schuko plug.

Component codes: 18PAC719LT + 19PACHSE + 19PACLM1SCH

12°-28° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1228 + 19PACHSE + 19PACLM1SCH

14°-35° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1435 + 19PACHSE + 19PACLM1SCH

23°-50° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE2650 + 19PACHSE + 19PACLM1SCH

45°-75° Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE4575 + 19PACHSE + 19PACLM1SCH

5° High Efficiency Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE5HE + 19PACHSE + 19PACLM1SCH

Fixed Beam with the lens of your choice (see page 13), fitted with Schuko plug.

Component codes: 19PACTUBE + 19PACHSE + 19PACLM1SCH + 18PACL20 or 18PACL30 or 18PACL40 or 18PACL50

90° Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE90 + 19PACHSE + 19PACLM1SCH



6863,00

6863,00

4298,00

4298,00

4298,00

4958,00

9960,00

4065,00

4410,00



Pacific 80V 1200W Low Voltage:

Supplied with the 80V independent variable output power supply; DMX control for the Pacific range and Rama High Performance Fresnel 80V model luminaires. 220-240V.

Select the Pacific

| | |
|--|----------|
| 5.5°-13° 1200W 80V Zoomspot fitted with Schuko plug. | 12705,00 |
| Component codes: 18PAC513LT + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 7.5°-19° 1200W 80V Zoomspot fitted with Schuko plug. | 12705,00 |
| Component codes: 18PAC719LT + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 12°-28° 1200W 80V Zoomspot fitted with Schuko plug. | 10140,00 |
| Component codes: 18PACTUBE1228 + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 14°-35° 1200W 80V Zoomspot fitted with Schuko plug. | 10140,00 |
| Component codes: 18PACTUBE1435 + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 23°-50° 1200W 80V Zoomspot fitted with Schuko plug. | 10140,00 |
| Component codes: 18PACTUBE2650 + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 45°-75° 1200W 80V Zoomspot fitted with Schuko plug. | 10800,00 |
| Component codes: 18PACTUBE4575 + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| 5° High Efficiency 1200W 80V Fixed Beam fitted with Schuko plug. | 15803,00 |
| Component codes: 18PACTUBE5HE + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |
| Fixed Beam 1200W 80V with the lens of your choice (see page 13) and fitted with Schuko plug. | 9908,00 |
| Component codes: 19PACTUBE + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH + 18PACL20 or 18PACL30 or 18PACL40 or 18PACL5 | |
| 90° 1200W 80V Fixed Beam fitted with Schuko plug. | 10253,00 |
| Component codes: 18PACTUBE90 + 19PACHSE + 19PACLM80V + 18DMX80VPSSCH | |

Pacific 575W MSR:



Select the Lamp Module required from this list and add to the Component Codes from below when completing your order:

| | | |
|---------------------|--|---------|
| 19PACLMHRMSR | Pacific Hot Restrike MSR lamp module (G22 lamp socket), includes ignitor for Selecon electronic power supply & elapsed hour meter. | 4268,00 |
| 19PACLMMSRI | Pacific lamp module for 575 /2 MSR & 575W MSD lamp with built in ignitor (GX9.5 lamp socket). For standard electronic power supply only. | 4268,00 |
| 19PACLMMSR | Pacific lamp module for 575W MSR lamp requires remote ignitor and power supply (GX 9.5 lamp socket). | 1013,00 |

Select the Pacific model required from this list:

5.5°-13° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PAC513LT + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

7.5°-19° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PAC719LT + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

12°-28° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1228 + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

14°-35° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1435 + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

23°-50° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE2650 + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

45°-75° 575W MSR Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE4575 + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

5° High Efficiency 575W MSR Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE5HE + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.

Fixed Beam 575W MSR with the lens of your choice (see page 13) and fitted with Schuko plug.

Component codes: 19PACTUBE + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost + 18PACL20 or 18PACL30 or 18PACL40 or 18PACL5

90° 575W MSR Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE90 + 19PACHSE + 18PACMSRELBPSCH + Lamp Module code & cost.



Pacific 70W / 150W CDM:

Select the Lamp Module required from this list and add to the Component Codes from below when completing your order:

| | | |
|-----------------------|--|---------|
| 19PACLMMHES152 | Pacific lamp module for 150W CDM type lamp and 150W electronic power supply, 220-250V. | 2678,00 |
| 19PACLMMHES702 | Pacific lamp module for 70W CDM type lamp and 70W electronic power supply, 220 - 250V. | 2520,00 |
| 19PACLMCDM | Pacific lamp module for 150W/70W CDM type lamp - requires remote power supply. | 776,00 |

Select the Pacific model required from this list:

5.5°-13° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PAC513LT + 19PACHSE + Lamp Module code & cost.

7.5°-19° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PAC719LT + 19PACHSE + Lamp Module code & cost.

12°-28° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1228 + 19PACHSE + Lamp Module code & cost.

14°-35° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE1435 + 19PACHSE + Lamp Module code & cost.

23°-50° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE2650 + 19PACHSE + Lamp Module code & cost.

45°-75° CDM Zoomspot fitted with Schuko plug.

Component codes: 18PACTUBE4575 + 19PACHSE + Lamp Module code & cost.

5° High Efficiency CDM Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE5HE + 19PACHSE + Lamp Module code & cost.

Fixed Beam CDM with the lens of your choice (see page 13) and fitted with Schuko plug.

Component codes: 19PACTUBE + 19PACHSE + Lamp Module code & cost + 18PACL20 or 18PACL30 or 18PACL40 or 18PACL50

90° CDM Fixed Beam fitted with Schuko plug.

Component codes: 18PACTUBE90 + 19PACHSE + Lamp Module code & cost.

COMPONENT CODES: lamp house

| | | |
|-------------------|--------------------------------|---------|
| 19PACHSE | Universal Pacific lamp house. | 1785,00 |
| 19PACLMCOV | Pacific lamp module cover kit. | 79,00 |

COMPONENT CODES: optical systems

| | | |
|----------------------|--|---------|
| 18PAC513LT | 5.5°-13° Zoomspot lens tube. | 4275,00 |
| 18PAC719LT | 7.5°-19° Zoomspot lens tube. | 4275,00 |
| 18PACTUBE1228 | 12°-28° Zoomspot lens tube. | 1710,00 |
| 18PACTUBE1435 | 14°-35° Zoomspot lens tube. | 1710,00 |
| 18PACTUBE2650 | 23°-50° Zoomspot lens tube. | 1710,00 |
| 18PACTUBE4575 | 45°-75° Zoomspot lens tube. | 2370,00 |
| 19PACTUBE | Fixed Beam - LENS TUBE ONLY, NO LENS. Please ensure you order the lens required from the following list i | 1088,00 |
| 18PACL20 | 20° lens assembly / color code red. | 390,00 |
| 18PACL30 | 30° lens assembly / color code brown. | 390,00 |
| 18PACL40 | 40° lens assembly / color code grey. | 390,00 |
| 18PACL50 | 50° lens assembly / color code blue. | 390,00 |
| 18PACTUBE5HE | 5° High Efficiency Fixed Beam lens tube. | 7373,00 |
| 18PACTUBE90 | 90° Fixed Beam lens tube. | 1823,00 |

COMPONENT CODES: T/H lamp modules

| | | |
|--------------------|---|--------|
| 19PACLM6SCH | 600W / 800W lamp module (blue handle) with Schuko plug. | 803,00 |
| 19PACLM1SCH | 1000W lamp module (red handle) with Schuko plug. | 803,00 |

COMPONENT CODES: 1200W 80V

| | | |
|----------------------|---|---------|
| 18DMX80VPSSCH | 80V independent variable output power supply; DMX control for the Pacific range and Rama High Performance l | 4703,00 |
| 19PACLM80V | Pacific 80V 1200W lamp module ONLY; cable leads included. | 1943,00 |
| 19PACLM80VE | Pacific 80V 1200W lamp module for external power supply by others (no connector). | 1785,00 |

COMPONENT CODES: MSR 575W

| | | |
|------------------------|---|----------|
| 18PACDOWSER | Mechanical dimmer for Pacific mounting directly onto the lamp house with universal power supply (100 - 250V). | 9705,00 |
| 19PACLMHRMSR | Pacific Hot Restrike MSR lamp module (G22 lamp socket), includes ignitor for Selecon electronic power supply | 4268,00 |
| 19PACLMMSRI | Pacific lamp module for 575 /2 MSR & 575W MSD lamp with built in ignitor (GX9.5 lamp socket). For standard e | 4268,00 |
| 19PACLMMSR | Pacific lamp module for 575W MSR lamp requires remote ignitor and power supply (GX 9.5 lamp socket). | 1013,00 |
| 18PACMSRELBPSCH | Electronic power supply in portable housing, complete with weiland connectors. For use with both Hot Restrike & | 10170,00 |

COMPONENT CODES: CDM

| | | |
|-----------------------|--|---------|
| 19PACLMCDM | Pacific lamp module for 150W/70W CDM type lamp. | 776,00 |
| 19PACLMMHES152 | Pacific lamp module for 150W CDM type lamp and 150W electronic power supply, 220-250V. | 2678,00 |
| 19PACLMMHES702 | Pacific lamp module for 70W CDM type lamp and 70W electronic power supply, 220 - 250V. | 2520,00 |

ACCESSORIES for the PACIFIC RANGE

| | | |
|---------------------|---|---------|
| 19PACGHA | Pattern holder for A size patterns: 23-50 & 45-75 Zoomspots, 5HE, 20,30,40,50 & 90 Fixed Beams. | 165,00 |
| 19PACGHAG | Pattern holder for A size glass patterns: 23-50 & 45-75 Zoomspots, 5HE, 20,30,40,50 & 90 Fixed Beams. | 165,00 |
| 19PACGHB | Pattern holder for B size patterns: 14-35 Zoomspot. | 165,00 |
| 19PACGHBG | Pattern holder for B size glass patterns: 14-35 Zoomspot. | 165,00 |
| 19PACGHM | Pattern holder for M size patterns: 5.5-13, 7.5-19 & 12-28 Zoomspots. | 165,00 |
| 19PACGHMG | Pattern holder for M size glass patterns:5.5-13, 7.5-19 & 12-28 Zoomspots. | 165,00 |
| 19PACGHPLPH | Pacific plastic transparency holder with U.V./heat block glass. | 893,00 |
| 20IRIS | Pacific iris (20 leaf). | 893,00 |
| | | |
| 20SM20 | Lens safety mesh for: 5.5-13 & 7.5-19 Zoomspots. | 64,00 |
| 19PACSM1228 | Lens safety mesh for: 12-28, 14-35, 45-75 Zoomspots & 90 Fixed Beam. | 71,00 |
| 19PACSMFB | Lens safety mesh for: 23-50 Zoomspot & 20, 30, 40, 50 Fixed Beams. | 53,00 |
| | | |
| 19PAC513HDY | Heavy duty yoke. | 698,00 |
| 19PACSG | Pacific heat sink guard (additional). | 128,00 |
| 19PACTUB1228 | Pacific 12°-28° Zoomspot lens tube - no lenses. | 1088,00 |



HUI CYC HUI FLOOD

300W / 500W / 800W.

[HUI Cyc range can be inverted for use as Groundrow \(instructions included\)](#)

Luminaire with colour frame (265mm x 203mm square), safety bond, fitted Schuko plug where applicable, M12 suspension bolt set & instruction leaflet.

IMPORTANT NOTE: Selecon Cyc / Flood luminaires are high performance instruments designed for stage / studio performances NOT for continuous use. For work light / rehearsal light applications please specify the designated WorkLight model listed below.

| | | |
|---------------------|---|---------|
| 12HUICYC1SCH | HUI Cyc - single. | 1478,00 |
| 12HUICYC3SCH | HUI Cyc 3-way batten with 1.0m cable tails. | 3765,00 |
| 12HUICYC3G | HUI Cyc 3-way batten with gland / connector options. | 4155,00 |
| 12HUICYC4SCH | HUI Cyc 4-way batten with 1.0m cable tails. | 4928,00 |
| 12HUICYC4G | HUI Cyc 4-way batten with gland / connector options. | 5175,00 |
| 12HUIFLD1SCH | HUI Flood - single. | 1478,00 |
| 12HUIFLD3SCH | HUI Flood 3-way batten with 1.0m cable tails. | 3765,00 |
| 12HUIFLD3G | HUI Flood 3-way batten with gland / connector options. | 4155,00 |
| 12HUIFLD4SCH | HUI Flood 4-way batten with 1.0m cable tails. | 4928,00 |
| 12HUIFLD4G | HUI Flood 4-way batten with gland / connector options. | 5175,00 |
| 12HUIWKSCH | HUI WorkLight Flood (single) - for use over extended time periods with wire safety mesh. | 1553,00 |

Selecon recommend these tungsten halogen lamps for best performance: P2/11 (800W); K1 (500W); K9 (300W) and K11 (200W).



LUI CYC LUI FLOOD

1000W cyc / flood range.

[LUI Cyc range can be inverted for use as Groundrow \(instructions included\)](#)

Luminaire with colour frame (265mm x 203mm square), safety bond, fitted Schuko plug where applicable, M12 suspension bolt set & instruction leaflet.

IMPORTANT NOTE: Selecon Cyc / Flood luminaires are high performance instruments designed for stage / studio performances NOT for continuous use. For work light / rehearsal light applications please specify the designated WorkLight model listed below.

| | | |
|---------------------|---|---------|
| 10LUICYC1SCH | LUI Cyc - single. | 1710,00 |
| 10LUICYC3SCH | LUI Cyc 3-way batten with 1.0m cable tails. | 4118,00 |
| 10LUICYC3G | LUI Cyc 3-way batten with gland / connector options. | 4425,00 |
| 10LUICYC4SCH | LUI Cyc 4-way batten with 1.0m cable tails. | 5085,00 |
| 10LUICYC4G | LUI Cyc 4-way batten with gland / connector options. | 5393,00 |
| 10LUIFLD1SCH | LUI Flood - single. | 1710,00 |
| 10LUIFLD3SCH | LUI Flood 3-way batten with 1.0m cable tails. | 4118,00 |
| 10LUIFLD3G | LUI Flood 3-way batten with gland / connector options. | 4425,00 |
| 10LUIFLD4SCH | LUI Flood 4-way batten with 1.0m cable tails. | 5085,00 |
| 10LUIFLD4G | LUI Flood 4-way batten with gland / connector options. | 5393,00 |
| 10LUIWKSCH | LUI WorkLight Flood (single) - for use over extended time periods with wire safety mesh. | 1765,00 |

ONLY K4 1000W lamps can be used in the LUI range.

Accessories for

| | | |
|------------------|---|--------|
| LUILEN001 | HUI / LUI safety glass - for replacement purposes. | 60,00 |
| 15HLJ | HUI / LUI slot locks - set of 2 to join luminaires together. | 109,00 |
| 15HLCF | HUI / LUI additional colour frame. | 86,00 |
| 15HUIBD | HUI / LUI barndoor - four leaf. | 428,00 |
| 15HLGDSF | HUI Groundrow screw feet - set of 2. | 34,00 |
| 15HLWKAS | HUI / LUI WorkLight colour cassette complete with wire safety mesh. | 450,00 |



AURORA CYC

625/1000/1250W high performance cyc.

Luminaire with colour frame (305mm x 315mm square), safety bond, fitted Schuko plugs, M12 suspension bolt set & instruction leaflet.

| | | |
|-----------------------|---|----------|
| 10AUCYC1SCH | Aurora Cyc - single. | 2363,00 |
| 10AUCYC1POSCH | Aurora Cyc - single with pole operation tilt. | 3113,00 |
| 10AUCYC3LSCH | Aurora 3-way linear Cyc. | 6473,00 |
| 10AUCYC4LSCH | Aurora 4-way linear Cyc. | 8220,00 |
| 10AUCYC4LW2 | Aurora 4-way linear Cyc with x2 Wieland 16 pin connectors in/out. | 10095,00 |
| 10AUCYC4LS2 | Aurora 4-way linear Cyc with 2x Socapex 19 connectors. | 10515,00 |
| 10AUCYC4SPOSCH | Aurora 4-way square Cyc with separate top/bottom pole operation tilt. | 12293,00 |
| 10AUCYC4SSCH | Aurora 4-way square Cyc. | 10935,00 |

Accessories for Aurora Cyc

| | | |
|------------------|---------------------------|--------|
| 20BDAU | Barndoor. | 585,00 |
| AURLEN001 | Replacement safety glass. | 135,00 |
| 20CFAUCY | Colour frame. | 233,00 |



AURORA FLOOD

625/1000/1250W high performance flood.

Luminaire supplied with colour frame (305mm x 315mm square), safety bond, fitted Schuko plugs, M12 suspension bolt set & instruction leaflet.

| | | |
|---------------------|---|---------|
| 10AUFLDSCH | Aurora Flood single. | 2363,00 |
| 10AUFLDPOSCH | Aurora Flood single with pole operation tilt. | 3113,00 |
| 10AUFLD4L | Aurora 4-way linear Flood - cable tails. | 8220,00 |

Accessories for

| | | |
|---------------|-----------|--------|
| 20BDAU | Barndoor. | 585,00 |
|---------------|-----------|--------|



AURORA GROUNDROW

625/1000/1250W high performance groundrow range available in single hinged or 4 way battens.

Luminaire supplied with colour frame (305mm x 315mm square), fitted Schuko plugs, M12 suspension bolt set & instruction leaflet.

| | | |
|--------------------|---|----------|
| 10AUGRDSCH | Aurora Groundrow single with hinges. | 2483,00 |
| 10AUGRD3SCH | Aurora 3-way Groundrow. | 6818,00 |
| 10AUGRD4SCH | Aurora 4-way Groundrow. | 8415,00 |
| 10AUGRD4LS | Aurora 4-way Groundrow with Socapex connectors. | 9315,00 |
| 10AUGRD4LS2 | Aurora 4-way - x2 Socapex 19 pin connectors in/out. | 10793,00 |
| 10AUGRD4LW | Aurora 4-way Groundrow with Weiland connectors. | 8693,00 |
| 10AUGRD4LW2 | Aurora 4-way Groundrow - x2 Wieland 16 pin connectors in/out. | 10170,00 |

Selecon recommend these tungsten halogen lamps for



PACIFIC FOLLOWSPOT 7.5°-19°

Full range of Pacific light sources.

Adjustable Iris with protective black-out guard. Flicker free MSR operat

Pacific Tungsten Halogen 600W / 800W (blue handle lamp module)

Pacific Followspot fitted with Schuko plug.

9341,00

Component codes: 18PACFS + 19PACLM6SCH

Selecon recommend these tungsten halogen lamps for

Tungsten Halogen 1000W (blue handle lamp module):

18PACFS/1 not fitted with Schuko plug.

9341,00

Component codes: 18PACFS + 19PACLM1SCH

Selecon recommend these tungsten halogen lamps for best performance: GAD1000WBP (1000W); GAB1000WBP 230V (1000W).

Pacific 80V 1200W:

Supplied with the 80V independent variable output power supply; DMX control for the Pacific range and Rama High Performance Fresnel 80V model luminaires. 220-240V.

Pacific 80V 1200W Followspot fitted with Schuko plug.

15184,00

Component codes: 18PACFS + 19PACLM80V + 18DMX80VPSSCH

Selecon recommends this lamp for best performance: 80V 1200W

Pacific 575W MSR:

Select the Lamp Module required from this list and add to the Component Codes from below when completing your order:

| | | |
|---------------------|--|---------|
| 19PACLMHRMSR | Pacific Hot Restrike MSR lamp module (G22 lamp socket), includes ignitor for Selecon electronic power supply | 4268,00 |
| 19PACLMMSRI | Pacific lamp module for 575 /2 MSR & 575W MSD lamp with built in ignitor (GX9.5 lamp socket). For standard | 4268,00 |
| 19PACLMMSR | Pacific lamp module for 575W MSR lamp requires remote ignitor and power supply (GX 9.5 lamp socket). | 1013,00 |

Followspot fitted with Schuko plug. Select Lamp Module from list above.

#VÆRDII

Component codes: 18PACFS + 18PACMSRELBPSCH + Lamp Module code & cost.

Selecon recommends this lamp for best performance: MSR575HR

Accessories for

| | | |
|------------------|--|---------|
| 18PACFS | Pacific Followspot - no lamp module. | 8539,00 |
| 18PACFCCH | 4-colour changer. | 2408,00 |
| 19PACFSGH | Pattern holder for A size patterns. | 428,00 |
| STDFS | Tripod based, fold-out followspot stand. | 1785,00 |



PERFORMER SERIES FOLLOWSPOTS

Selecon's new range of high performance followspots feature integrated electronic mains power supply, 24 leaf iris, dowser, cutters, CTO and diffusion frost supplied with lamp, six colour changer and tripod based fold down stand.

| | | |
|-----------------|--------------------------------------|----------|
| 27FSTAHI | Tahi Followspot: wide angle 18°-24°. | 67148,00 |
| 27FSRUA | Rua Followspot: medium angle 9°-16°. | 67148,00 |
| 27FSTORU | Toru Followspot: narrow angle 4°-8°. | 78788,00 |

Selecon recommends these lamps for best performance: MSRMINI (1400/800W); MSRMINIQF (Quick Fit 1400/800W).

Accessories for

| | | |
|-----------------|--|--------|
| 28FSGH | Pattern holder. | 165,00 |
| 28PFSTWH | A set of 3 braking wheels for the Performer Series Followspot stand. | 585,00 |



Selecon Display Profile (SDP): 15°-35° and 25°-50°

Delivers up to 3 times the light output of the Aureol BeamShaper with accurate shaping of the

Allen key lock offs and reference scales for all adjustments offers the means to effectively assure the integrity of the original lighting design.

Luminaire includes pattern holder and is shipped with the required lamp.

12V 90W Tungsten Halogen : 220-240V

| | | |
|--------------|-----------------|---------|
| SDP1535THT01 | 15°-35° Dis 740 | 3645,00 |
| SDP1535THT02 | 15°-35° Dis 740 | 3645,00 |
| SDP1535THT03 | 15°-35° Dis 740 | 3645,00 |
| SDP1535THC01 | 15°-35° Dis 740 | 3608,00 |
| SDP1535THC02 | 15°-35° Dis 710 | 3608,00 |
| SDP1535THC03 | 15°-35° Dis 710 | 3608,00 |
| SDP2550THT01 | 25°-50° Dis 740 | 3645,00 |
| SDP2550THT02 | 25°-50° Dis 740 | 3645,00 |
| SDP2550THT03 | 25°-50° Dis 740 | 3645,00 |
| SDP2550THC01 | 25°-50° Dis 740 | 3608,00 |
| SDP2550THC02 | 25°-50° Dis 710 | 3608,00 |
| SDP2550THC03 | 25°-50° Dis 710 | 3608,00 |

35W Metal Halide : 220-240V

| | | |
|----------------|-----------------|---------|
| SDP1535MH35T01 | 15°-35° Dis 740 | 4733,00 |
| SDP1535MH35T02 | 15°-35° Dis 740 | 4733,00 |
| SDP1535MH35T03 | 15°-35° Dis 740 | 4733,00 |
| SDP1535MH35C01 | 15°-35° Dis 740 | 4695,00 |
| SDP1535MH35C02 | 15°-35° Dis 710 | 4695,00 |
| SDP1535MH35C03 | 15°-35° Dis 710 | 4695,00 |
| SDP2550MH35T01 | 25°-50° Dis 740 | 4733,00 |
| SDP2550MH35T02 | 25°-50° Dis 740 | 4733,00 |
| SDP2550MH35T03 | 25°-50° Dis 740 | 4733,00 |
| SDP2550MH35C01 | 25°-50° Dis 740 | 4695,00 |
| SDP2550MH35C02 | 25°-50° Dis 710 | 4695,00 |
| SDP2550MH35C03 | 25°-50° Dis 710 | 4695,00 |

20W Metal Halide : 220-240V

| | | |
|----------------|-----------------|---------|
| SDP1535MH20T01 | 15°-35° Dis 740 | 4583,00 |
| SDP1535MH20T02 | 15°-35° Dis 740 | 4583,00 |
| SDP1535MH20T03 | 15°-35° Dis 740 | 4583,00 |
| SDP1535MH20C01 | 15°-35° Dis 740 | 4538,00 |
| SDP1535MH20C02 | 15°-35° Dis 710 | 4538,00 |
| SDP1535MH20C03 | 15°-35° Dis 710 | 4538,00 |
| SDP2550MH20T01 | 25°-50° Dis 740 | 4583,00 |
| SDP2550MH20T02 | 25°-50° Dis 740 | 4583,00 |
| SDP2550MH20T03 | 25°-50° Dis 740 | 4583,00 |
| SDP2550MH20C01 | 25°-50° Dis 740 | 4538,00 |
| SDP2550MH20C02 | 25°-50° Dis 710 | 4538,00 |
| SDP2550MH20C03 | 25°-50° Dis 710 | 4538,00 |

Accessories for

| | | |
|--------------------|---|--------|
| SDPCF | Colour frarr 6 | 41,00 |
| SDPGOBOASSY | Spare patt€ 6 | 49,00 |
| SDPSDG | Medium dif 70 | 270,00 |
| SDPUV | UV glass fil 40 | 109,00 |
| SDPGF | Glass color 70 | 270,00 |
| SDPDF | Glass dichr 98 | 390,00 |
| ARLAKTOOL | Allen key hand tool for Selecon display luminaires. | 60,00 |

; and track mount adapter options please see page 28.



AUREOL BEAMSPOT

= insert colour code required: 01 - White, 02 - Silver Grey, 03 - Black

NOTE: Chrome models made to order only.

Pattern size

Pattern size: 'E"

| | | |
|------------------|--|---------|
| ARLCT## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral copper transformer. Max 50W. Fitted with | 1320,00 |
| ARLET## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer. Max 75W. Fitted with | 1673,00 |
| ARLEDT## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer with in-built on board | 1748,00 |
| ARLCC## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral copper transformer. Max 50W. Ceiling beam | 1245,00 |
| ARLEC## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer. Max 75W. Ceiling | 1553,00 |
| ARLEDC## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer with in-built on board | 1628,00 |
| ARLCF## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral copper transformer, Max 50W. Fitted with | 1245,00 |
| ARLEDF## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer with in-built on board | 1628,00 |
| ARLCFH## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral copper transformer. Max 50W. Fitted with | 1395,00 |
| ARLEDFH## | Fully adjustable BeamSpot for 12V MR16 lamp (not included), integral electronic transformer with in-built on board | 1785,00 |

AUREOL RECESSED BEAMSHAPER

= insert colour

| | | |
|-----------------|---|---------|
| ARLR## | Fully recessed zoom profile, including 12V / 50W MR16 lamp. Remote transformer NOT included. | 3960,00 |
| ARLRE## | Fully recessed zoom profile, including 12V / 50W MR16 lamp & integral electronic transformer. | 4463,00 |
| ARLRED## | Fully recessed zoom profile, including 12V / 50W MR16 lamp, integral electronic transformer and dimmer. | 4583,00 |

Accessories

| | | |
|------------------|--|---------|
| ARLBS## | BeamShaper head to fit onto BeamSpot. | 1088,00 |
| ARLHK | Hook clamp for 48mm OD pipe. Colour - passivated gold. | 128,00 |
| ARLSN## | Snoot - in colour as specified ##. | 143,00 |
| ARLSWB012 | Snoot - exterior white, interior black. | 195,00 |
| ARLSGB013 | Snoot - exterior grey, interior black. | 195,00 |
| ARLBD## | Barndoor - in colour as specified ##. | 255,00 |
| ARLBD0103 | Barndoor - white exterior / black interior. | 368,00 |
| ARLLEN003 | U.V. glass block filter - 50mm x 50mm square. | 150,00 |
| ARLCFB | Colour frame for plastic (theatre type) filters - for use in black BeamShaper. 50mm square diameter. | 64,00 |
| ARLCFW | Colour frame for plastic (theatre type) filters - for use in white BeamShaper. 50mm square diameter. | 64,00 |
| ARLCFG | Colour frame for plastic (theatre type) filters - for use in grey BeamShaper. 50mm square diameter. | 64,00 |
| ARLK2 | Aureol Demonstration Case 220-240V with BeamSpot (AREDF01), BeamShaper (ARLBS01), Fresco Flood (AR | 4658,00 |



Replacements

| | | |
|-----------------------|---|--------|
| ARLELE005 240V | Replacement Aureol transformer - copper magnetic type 'C' - 220-240V. | 390,00 |
| ARLELE004 | Replacement Aureol transformer - electronic power supply - 220-240V. | 585,00 |
| ARLMET007 | Replacement pattern (E size) retention ring. | 8,00 |

Lamp

| | | |
|------------------|--|--------|
| ARLELE035 | 45W 24° MR16 lamp for Aureol BeamShaper. | 109,00 |
|------------------|--|--------|

Diffusion Glass

| | | |
|------------------|--|--------|
| SAADGCP | Prismatic Diffusion Glass - 50mm diameter. | 109,00 |
| SAADGID | Medium Diffusion Glass - 50mm diameter. | 109,00 |
| SAADGL | Linear Spread Diffusion Glass - 50mm diameter. | 109,00 |
| SAADGO | Obscure Diffusion Glass - 50mm diameter. | 109,00 |
| SAADGSS | Soft Diffusion Glass - 50mm diameter. | 109,00 |
| SAADGSSET | Diffusion Glass sample set of 6 - all 50mm diameter. | 660,00 |
| SAADGWFO | Opal Diffusion Glass - 50mm diameter. | 109,00 |



AUREOL FRESCO FLOOD

Available in versions for mains voltage linear halogen lamps (79mm - 60W, 75W, 100W, 150W) and 12V, two each 20W or 50W lamps - integral electronic transformer with dimmer.

= insert colour code required: 01 - White, 02 - Silver Grey, 03 - Black

NOTE: Chrome models made to order only.

| | | |
|---------------------|--|---------|
| ARLFLT## | Flood with Uvilux (UV block) safety glass, fitted with three circuit universal track adapter. Lamp = 150W maximum | 1178,00 |
| ARLFLC## | Flood with Uvilux (UV block) safety glass; fitted with ceiling base mount. Lamp = 150W maximum (not included). | 1110,00 |
| ARLFLF03 | Flood with Uvilux (UV block) safety glass; fitted with 1.0m flexible mains cable. Lamp = 150W maximum (not included) | 1283,00 |
| ARLFLHK03 | Flood with Uvilux (UV block) safety glass, fitted with 1.0m flexible mains cable & hook clamp. Lamp = 150W maximum | 1403,00 |
| ARLFL40T## | LV Flood with Uvilux (UV block) safety glass, fitted with three circuit universal track adapter. 2 x 12V 20W lamps | 2138,00 |
| ARLFL100T## | LV Flood with Uvilux (UV block) safety glass, fitted with three circuit universal track adapter. 2 x 12V 50W lamps | 2138,00 |
| ARLFL40C## | LV Flood with Uvilux (UV block) safety glass, fitted with ceiling base mount. 2 x 12V 20W lamps supplied - 40W. | 2055,00 |
| ARLFL100C## | LV Flood with Uvilux (UV block) safety glass, fitted with ceiling base mount. 2 x 12V 50W lamps supplied - 100W | 2055,00 |
| ARLFL40F03 | LV Flood with Uvilux (UV block) safety glass, fitted with 1.0m flexible mains cable. 2 x 12V 20W lamps (supplied) | 2093,00 |
| ARLFL100F03 | LV Flood with Uvilux (UV block) safety glass, fitted with 1.0m flexible mains cable. 2 x 12V 50W lamps (supplied) | 2093,00 |
| ARLFL40HK03 | LV Flood with Uvilux (UV block) safety glass, fitted with 1.0m flexible mains cable & hook clamp. 2 x 12V 20W lamps | 2220,00 |
| ARLFL100HK03 | LV Flood with Uvilux (UV block) safety glass, fitted with 1.0m flexible mains cable & hook clamp. 2 x 12V 50W lamps | 2220,00 |

Accessories for

| | | |
|--------------------|--|--------|
| ARLFLCFH## | Colour filter holder - plastic or glass. | 326,00 |
| ARLFLBD## | Barndoor including filter holder. | 525,00 |
| ARLFLBD0103 | Barndoor including filter holder - white exterior / black interior. | 623,00 |
| ARLFLBD0203 | Barndoor including filter holder - silver exterior / black interior. | 623,00 |
| ARLFLSG | Replacement safety glass. | 75,00 |

WING WALL WASHER range



Tungsten Halogen Wall Washers for double ended 100W-300W or 500W

Fitted with ceiling rose mount

| | | |
|---------------------|--|---------|
| SWWR7C01L200 | White Wall Washer; 200W lamp supplied. | 1433,00 |
| SWWR7C02L200 | Grey Wall Washer; 200W lamp supplied. | 1433,00 |
| SWWR7C03L200 | Black Wall Washer; 200W lamp supplied. | 1433,00 |

Fitted with 3ct track mount adapter

| | | |
|---------------------|--|---------|
| SWWR7T01L200 | White Wall Washer; 200W lamp supplied. | 1478,00 |
| SWWR7T02L200 | Grey Wall Washer; 200W lamp supplied. | 1478,00 |
| SWWR7T03L200 | Black Wall Washer; 200W lamp supplied. | 1478,00 |

Fitted with ceiling rose mount

| | | |
|---------------------|---|---------|
| SWWR7C01L300 | White Wall Washer; 230W=300W Osram lamp supplied. | 1433,00 |
| SWWR7C02L300 | Grey Wall Washer; 230W=300W Osram lamp supplied. | 1433,00 |
| SWWR7C03L300 | Black Wall Washer; 230W=300W Osram lamp supplied. | 1433,00 |

Fitted with 3ct track mount adapter

| | | |
|---------------------|---|---------|
| SWWR7T01L300 | White Wall Washer; 230W=300W Osram lamp supplied. | 1478,00 |
| SWWR7T02L300 | Grey Wall Washer; 230W=300W Osram lamp supplied. | 1478,00 |
| SWWR7T03L300 | Black Wall Washer; 230W=300W Osram lamp supplied. | 1478,00 |



35W Metal Halide Wall Washers for double ended 3000K R7 lamp: 220-24

Fitted with ceiling rose mount

| | | |
|----------------------|---|---------|
| SWWMH35C01L83 | White Wall Washer; 35W 3000K lamp supplied. | 2798,00 |
| SWWMH35C02L83 | Grey Wall Washer; 35W 3000K lamp supplied. | 2798,00 |
| SWWMH35C03L83 | Black Wall Washer; 35W 3000K lamp supplied. | 2798,00 |

Fitted with 3ct track mount adapter

| | | |
|----------------------|---|---------|
| SWWMH35T01L83 | White Wall Washer; 35W 3000K lamp supplied. | 2835,00 |
| SWWMH35T02L83 | Grey Wall Washer; 35W 3000K lamp supplied. | 2835,00 |
| SWWMH35T03L83 | Black Wall Washer; 35W 3000K lamp supplied. | 2835,00 |

70W Metal Halide

Fitted with ceiling rose mount

| | | |
|----------------------|---|---------|
| SWWMH70C01L83 | White Wall Washer; 70W 3000K lamp supplied. | 2910,00 |
| SWWMH70C01L94 | White Wall Washer; 70W 4000K lamp supplied. | 2910,00 |
| SWWMH70C02L83 | Grey Wall Washer; 70W 3000K lamp supplied. | 2910,00 |
| SWWMH70C02L94 | Grey Wall Washer; 70W 4000K lamp supplied. | 2910,00 |
| SWWMH70C03L83 | Black Wall Washer; 70W 3000K lamp supplied. | 2910,00 |
| SWWMH70C03L94 | Black Wall Washer; 70W 4000K lamp supplied. | 2910,00 |

Fitted with 3ct track mount adapter

| | | |
|----------------------|---|---------|
| SWWMH70T01L83 | White Wall Washer; 70W 3000K lamp supplied. | 2948,00 |
| SWWMH70T01L94 | White Wall Washer; 70W 4000K lamp supplied. | 2948,00 |
| SWWMH70T02L83 | Grey Wall Washer; 70W 3000K lamp supplied. | 2948,00 |
| SWWMH70T02L94 | Grey Wall Washer; 70W 4000K lamp supplied. | 2948,00 |
| SWWMH70T03L83 | Black Wall Washer; 70W 3000K lamp supplied. | 2948,00 |
| SWWMH70T03L94 | Black Wall Washer; 70W 4000K lamp supplied. | 2948,00 |

150W Metal

Fitted with ceiling rose mount

| | | |
|-----------------------|--|---------|
| SWWMH150C01L83 | White Wall Washer; 150W 3000K lamp supplied. | 3225,00 |
| SWWMH150C01L94 | White Wall Washer; 150W 4000K lamp supplied. | 3225,00 |
| SWWMH150C02L83 | Grey Wall Washer; 150W 3000K lamp supplied. | 3225,00 |
| SWWMH150C02L94 | Grey Wall Washer; 150W 4000K lamp supplied. | 3225,00 |
| SWWMH150C03L83 | Black Wall Washer; 150W 3000K lamp supplied. | 3225,00 |
| SWWMH150C03L94 | Black Wall Washer; 150W 4000K lamp supplied. | 3225,00 |

Fitted with 3ct track mount adapter

| | | |
|-----------------------|--|---------|
| SWWMH150T01L83 | White Wall Washer; 150W 3000K lamp supplied. | 3263,00 |
| SWWMH150T01L94 | White Wall Washer; 150W 4000K lamp supplied. | 3263,00 |
| SWWMH150T02L83 | Grey Wall Washer; 150W 3000K lamp supplied. | 3263,00 |
| SWWMH150T02L94 | Grey Wall Washer; 150W 4000K lamp supplied. | 3263,00 |
| SWWMH150T03L83 | Black Wall Washer; 150W 3000K lamp supplied. | 3263,00 |
| SWWMH150T03L94 | Black Wall Washer; 150W 4000K lamp supplied. | 3263,00 |

34W Compact

Fitted with ceiling rose mount

| | | |
|----------------------|--|---------|
| SWWCF34C01L83 | White 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2483,00 |
| SWWCF34C01L84 | White 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2483,00 |
| SWWCF34C02L83 | Grey 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2483,00 |
| SWWCF34C02L84 | Grey 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2483,00 |
| SWWCF34C03L83 | Black 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2483,00 |
| SWWCF34C03L84 | Black 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2483,00 |

Fitted with 3ct track mount adapter

| | | |
|----------------------|--|---------|
| SWWCF34T01L83 | White 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2520,00 |
| SWWCF34T01L84 | White 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2520,00 |
| SWWCF34T02L83 | Grey 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2520,00 |
| SWWCF34T02L84 | Grey 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2520,00 |
| SWWCF34T03L83 | Black 34W Compact Fluorescent Wall Washer; 2 x 17W 3000K lamps supplied. | 2520,00 |
| SWWCF34T03L84 | Black 34W Compact Fluorescent Wall Washer; 2 x 17W 4000K lamps supplied. | 2520,00 |

Accessories for

Selecon Wall

| | | |
|-------------------|---|--------|
| SWWBDS0103 | Barndoor including standard size colour frame for TH & MH units - white. | 544,00 |
| SWWBDS0203 | Barndoor including standard size colour frame for TH & MH units - grey. | 544,00 |
| SWWBDS03 | Barndoor including standard size colour frame for TH & MH units - black. | 480,00 |
| SWWCF01 | Colour Filter Frame For Wing Wall Washer - White | 319,00 |
| SWWCF02 | Colour Filter Frame For Wing Wall Washer - Grey | 319,00 |
| SWWCF03 | Colour Filter Frame For Wing Wall Washer - Black | 319,00 |
| SWWUV | UV Glass For Wing Wall Washer 182mm X 147mm | 158,00 |
| SWWCUSTOM | Wing Wall Washer custom mounting for display hook clamp (ARLHK) or half coupler (20DHC) - see page 28. Pl | |
| SWWDG20 | Selecon Wall Washer Dimming Gauze - reduces output by approx. 20%. Requires colour frame for mounting. | 79,00 |

ASTRAL FRESNEL

NEW MODEL ASTRAL 150W FRESNEL: 220-240V



The Order Codes represent the three colour finishes available and, because

150W MH models fitted with ceiling rose mount: 220V-240V

| | | |
|-------------------------|--|---------|
| ASTFRMH150C01L83 | White 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4853,00 |
| ASTFRMH150C01L94 | White 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4853,00 |
| ASTFRMH150C02L83 | Grey 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4853,00 |
| ASTFRMH150C02L94 | Grey 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4853,00 |
| ASTFRMH150C03L83 | Black 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4388,00 |
| ASTFRMH150C03L94 | Black 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4388,00 |

150W MH models fitted with track mount: 220V-240V

| | | |
|-------------------------|--|---------|
| ASTFRMH150T01L83 | White 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 5160,00 |
| ASTFRMH150T01L94 | White 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 5160,00 |
| ASTFRMH150T02L83 | Grey 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 5160,00 |
| ASTFRMH150T02L94 | Grey 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 5160,00 |
| ASTFRMH150T03L83 | Black 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4695,00 |
| ASTFRMH150T03L94 | Black 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4695,00 |

150W MH models fitted with yoke only: 220V-240V

| | | |
|-------------------------|--|---------|
| ASTFRMH150Y01L83 | White 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4620,00 |
| ASTFRMH150Y01L94 | White 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4620,00 |
| ASTFRMH150Y02L83 | Grey 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4620,00 |
| ASTFRMH150Y02L94 | Grey 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4620,00 |
| ASTFRMH150Y03L83 | Black 150W MH Fresnel supplied with 150W 3000K CDM lamp. | 4155,00 |
| ASTFRMH150Y03L94 | Black 150W MH Fresnel supplied with 150W 4000K CDM lamp. | 4155,00 |

70W MH models fitted with ceiling rose mount: 220V-240V

| | | |
|------------------------|--|---------|
| ASTFRMH70C01L83 | White 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4500,00 |
| ASTFRMH70C01L94 | White 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4500,00 |
| ASTFRMH70C02L83 | Grey 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4500,00 |
| ASTFRMH70C02L94 | Grey 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4500,00 |
| ASTFRMH70C03L83 | Black 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4035,00 |
| ASTFRMH70C03L94 | Black 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4035,00 |

70W MH models fitted with track mount: 220V-240V

| | | |
|------------------------|--|---------|
| ASTFRMH70T01L83 | White 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4928,00 |
| ASTFRMH70T01L94 | White 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4928,00 |
| ASTFRMH70T02L83 | Grey 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4928,00 |
| ASTFRMH70T02L94 | Grey 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4928,00 |
| ASTFRMH70T03L83 | Black 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4388,00 |
| ASTFRMH70T03L94 | Black 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4388,00 |

70W MH models fitted with yoke only: 220V-240V

| | | |
|------------------------|--|---------|
| ASTFRMH70Y01L83 | White 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4268,00 |
| ASTFRMH70Y01L94 | White 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4268,00 |
| ASTFRMH70Y02L83 | Grey 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 4268,00 |
| ASTFRMH70Y02L94 | Grey 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 4268,00 |
| ASTFRMH70Y03L83 | Black 70W MH Fresnel supplied with 70W 3000K CDM lamp. | 3803,00 |
| ASTFRMH70Y03L94 | Black 70W MH Fresnel supplied with 70W 4000K CDM lamp. | 3803,00 |

NEW MODEL

| | | |
|-----------------------|--|---------|
| ASTFRY01L8370 | White Fresnel supplied with 70W 3000K CDM lamp. | 3533,00 |
| ASTFRY01L9470 | White Fresnel supplied with 70W 4000K CDM lamp. | 3533,00 |
| ASTFRY01L83150 | White Fresnel supplied with 150W 3000K CDM lamp. | 3533,00 |
| ASTFRY01L94150 | White Fresnel supplied with 150W 4000K CDM lamp. | 3533,00 |
| ASTFRY02L8370 | Grey Fresnel supplied with 70W 3000K CDM lamp. | 3533,00 |
| ASTFRY02L9470 | Grey Fresnel supplied with 70W 4000K CDM lamp. | 3533,00 |
| ASTFRY02L83150 | Grey Fresnel supplied with 150W 3000K CDM lamp. | 3533,00 |
| ASTFRY02L94150 | Grey Fresnel supplied with 150W 4000K CDM lamp. | 3533,00 |
| ASTFRY03L8370 | Black Fresnel supplied with 70W 3000K CDM lamp. | 2985,00 |
| ASTFRY03L9470 | Black Fresnel supplied with 70W 4000K CDM lamp. | 2985,00 |
| ASTFRY03L83150 | Black Fresnel supplied with 150W 3000K CDM lamp. | 2985,00 |
| ASTFRY03L94150 | Black Fresnel supplied with 150W 4000K CDM lamp. | 2985,00 |

Accessories for

| | | |
|-----------------|---|--------|
| 20BDMF | Barndoor - black. | 263,00 |
| 20BDMFWB | Barndoor - white exterior / black interior. | 390,00 |
| 20BDMFGB | Barndoor - grey exterior / black interior. | 390,00 |



ASTRAL AXIAL ZOOMSPOT

The Astral Axial Zoomspot uses an ellipsoidal reflector system for pattern projection and precise area illumination.

Axial Zoomspot

| | | |
|----------------------|------------------|---------|
| SA-AX15ES2B | 18°-34° - black. | 5588,00 |
| SA-AX15ES2W | 18°-34° - white. | 5745,00 |
| SA-AXW150ES2B | 24°-44° - black. | 5588,00 |
| SA-AXW150ES2W | 24°-44° - white. | 5745,00 |

Axial Zoomspot

| | | |
|---------------------|------------------|---------|
| SA-AX70ES2B | 18°-34° - black. | 5198,00 |
| SA-AX70ES2W | 18°-34° - white. | 5355,00 |
| SA-AXW70ES2B | 24°-44° - black. | 5198,00 |
| SA-AXW70ES2W | 24°-44° - white. | 5355,00 |

Luminaire only -

| | | |
|----------------|------------------|---------|
| SA-AXB | 18°-34° - black. | 3338,00 |
| SA-AXW | 18°-34° - white. | 3458,00 |
| SA-AXWB | 24°-44° - black. | 3338,00 |
| SA-AXWW | 24°-44° - white. | 3458,00 |

Accessories for

| | | |
|------------------|---|---------|
| 15ACGH | Pattern holder M size - black handle. | 165,00 |
| 15ACGHW | Pattern holder M size - white handle. | 173,00 |
| 15ACGHGL | Pattern holder for glass pattern M size - black handle. | 165,00 |
| 15ACGHGLW | Pattern holder for glass pattern M size - white handle. | 173,00 |
| 15ACIRIS | Adjustable iris - 20 leaf. | 1125,00 |
| 15ACSM | Lens safety mesh. | 30,00 |

LUMINAIRE ACCESSORIES & SPARE PARTS

DISPLAY

The Selecon display luminaire range can be adapted to mount from either theatre-type G clamps or half couplers.

| | | |
|---------------|----------------------------|--------|
| ARLHK | Plated disp ₂₀ | 128,00 |
| ARLHKW | White displ ₂₅ | 143,00 |
| ARLHKG | Grey displa ₂₅ | 143,00 |
| ARLHKB | Black displi ₂₅ | 143,00 |
| 20DHC | Half Coupl€ ₂₁ | 158,00 |
| 20DHCW | Half Coupl€ ₃₀ | 158,00 |
| 20DHCG | Half Coupl€ ₃₀ | 158,00 |
| 20DHCB | Half Coupl€ ₃₀ | 158,00 |

ALTERNATIVE

Selecon display luminaires are fitted as standard with Eutrac-type three circuit track mount adapters. Other options are available.

SAA-GTSA68## Global 3-circuit track adapter: please take the luminaire model that you want with the Eutrac track mount code (€).
eg: 6x white Aureol BeamSpots - integral electronic transformer with in-built on board dimmer fitted with 6x ARLEDT01 + 6x SAA-GTSA601 = Euros 1170.00

DALI Control Selecon can fit track adapters and addressable power supplies to most Selecon display luminaires. Enquire for details.

SPARE PARTS Spare Parts

| | | |
|------------------------|---|--------|
| SWWCR01 | Ceiling rose assembly complete - white. | 101,00 |
| SWWCR02 | Ceiling rose assembly complete - silver-grey. | 101,00 |
| SWWCR03 | Ceiling rose assembly complete - black. | 101,00 |
| SWWPANCRASSY01 | Pan / tilt assembly only for ceiling rose (not included) - white. | 311,00 |
| SWWPANCRASSY02 | Pan / tilt assembly only for ceiling rose (not included) - silver-grey. | 311,00 |
| SWWPANCRASSY03 | Pan / tilt assembly only for ceiling rose (not included) - black. | 311,00 |
| SWWPANTRKASSY01 | Pan / tilt assembly only for track mount (not included) - white. | 311,00 |
| SWWPANTRKASSY02 | Pan / tilt assembly only for track mount (not included) - silver grey. | 311,00 |
| SWWPANTRKASSY03 | Pan / tilt assembly only for track mount (not included) - black. | 311,00 |
| SWWSGL | Safety glass assembly. | 94,00 |
| SWWE27 | E27 lamp socket assembly. | 64,00 |
| SWWR7KIT | Set of 2 x R7 lamp sockets. | 128,00 |
| COMELE121 | 35W metal halide power supply for 220V-240V. | 503,00 |
| COMELE090 | 70W metal halide power supply for 220V - 240V. | 503,00 |
| COMELE068 | 150W metal halide power supply for 220V-240V. | 503,00 |

SPARE PARTS Spare Parts

| | | |
|--------------------|---------------------------|-------|
| SDPSHT009 | Pattern hol ₇ | 49,00 |
| SDPGOBOASSY | Spare patta€ ₆ | 49,00 |

FAST FOCUS

Can be used on Rama, 1200, Pacific and Arena luminaires.

| | | |
|------------------|--|--------|
| 17RAFTP | Fast Focus pan kit for use with standard hook clamp. | 233,00 |
| 17RAFTPHC | Fast Focus pan kit for use with half coupler. | 270,00 |
| 17RAFTF | Fast Focus ₁₂ | 128,00 |

DESIGN

| | | |
|-------------------|---|-------|
| SELTEMP125 | Stencil of Selecon Luminaires 1:25 (1/4") | 79,00 |
| SELTEMP150 | Stencil of Selecon Luminaires 1:50 (1/8") | 79,00 |
| 20SC | Safety bond. | 45,00 |

MICROSWITCHE

| | | |
|-----------------|--|-------|
| MS1200 | 1200 Fresnel and PC range. | 86,00 |
| MSACC | Acclaim Fresnel, PC and Zoomspot. | 86,00 |
| MSACCX | Acclaim Axial range. | 86,00 |
| MSACYC | Acclaim Cyc and Flood, Astral Flood and Wallwashers. | 86,00 |
| MSAR | Arena range. | 86,00 |
| MSAU | Aurora range. | 86,00 |
| MSPA CLM | Pacific lamp module - all. | 86,00 |
| MSHUI | Hui / Lui range. | 86,00 |

FOLLOWSPOT

| | | |
|----------------------|-----------------------------------|---------|
| 20CHIRISASSEM | Chorus iris assembly. | 2093,00 |
| MSRMET006 | MSR iris assembly. | 1905,00 |
| 19PACFSIRIS | Pacific Followspot iris assembly. | 1515,00 |

SPARE COLOUR

| | | |
|-------------------|---|--------|
| 20CFSF12 | Rama range, 1200 range; Pacific 12°-28°, 90°, 45°-75°, 185mm square. | 56,00 |
| 20CFMF | Acclaim range, Minifresnel etc, 125mm square. | 45,00 |
| 20CFMFW | Acclaim range, white paint finish. | 56,00 |
| 15HLCF | Hui / Lui. | 86,00 |
| 19PACCF5HE | Pacific 5° High Efficiency Fixed Beam. | 311,00 |
| 19PACCF | Pacific 26°-50° Zoomspot and Pacific Fixed Beams. | 56,00 |
| 20CFSF2020 | Arena Theatre Fresnel, PC, Zoomspot Medium & Wide. Pacific 5.5°-13° Zoomspot, 245mm square. | 143,00 |
| 20CFSF2025 | Arena High Performance Fresnel, Zoomspot Narrow. | 311,00 |
| SAA-AFHB | Acclaim Cyc comes with frame, no barndoor. | 326,00 |
| SAA-AFSC | Acclaim Cyc spring frame. | 64,00 |
| 20CFAUCY | Aurora range. | 233,00 |
| SAA-AFHBB | Acclaim & Astral Flood / Cyc filter holder comes with barndoor. | 428,00 |

LENSES FOR

| | | |
|-------------------|--|---------|
| LVLEN003 | Accent Fresnel - 50mm diameter lens. | 428,00 |
| ACCLEN001 | Acclaim Fresnel - 100mm diameter lens. | 173,00 |
| 1200LEN012 | Compact Fresnel - 150mm diameter lens. | 503,00 |
| 1200LEN013 | 1200 High Performance Fresnel - 175mm diameter lens. | 968,00 |
| ARELEN002 | Arena Theatre Fresnel - 200mm diameter lens. Also - SF1000 MKI & SF20. | 855,00 |
| ARELEN001 | Arena High Performance Fresnel - 250mm diameter lens. | 1478,00 |
| ACCLEN005 | Acclaim PC - 100mm diameter lens. | 233,00 |
| 1200LEN015 | Compact PC - 150mm diameter lens. | 735,00 |
| 1200LEN014 | 1200 High Performance PC - 175mm diameter lens. | 893,00 |
| ARELEN007 | Arena PC - 200mm diameter lens. | 1125,00 |

LENSES FOR

| | | |
|---------------------|------------------|---------|
| 1200LEN011 | Front lens J 110 | 1013,00 |
| COMLEN001 | Acclaim Cc 62,5 | 443,00 |
| ARELEN006 | Front lens J 155 | 1673,00 |
| ARELEN005 | Front lens J 190 | 1905,00 |
| MSRLEN006 | Front lens I 167 | 1553,00 |
| MSRLEN003 | Rear lens F 155 | 1553,00 |
| MSRLEN004 | Front lens I 151 | 1478,00 |
| MSRLEN005 | Rear lens F 125 | 1245,00 |
| ARLLEN002 | Accent Pro 30 | 311,00 |
| ARLLEN001 | Accent Pro 21 | 158,00 |
| ACX1834F | Acclaim Ax 36 | 289,00 |
| ACX1834R | Acclaim Ax 60 | 488,00 |
| ACX2444F | Acclaim Ax 48 | 334,00 |
| ACX2444R | Acclaim Ax 65 | 510,00 |
| ACZSMF | Acclaim Zo 42 | 353,00 |
| ACZSMR | Acclaim Zo 66 | 563,00 |
| ACZSWF | Acclaim Zo 54 | 390,00 |
| ACXZSWR | Acclaim Zo 71 | 585,00 |
| 19PAACL2650F | Pacific 23° 49 | 480,00 |
| 19PAACL2650R | Pacific 23° 105 | 1013,00 |
| 19PAACL1228F | Pacific 12° 57 | 570,00 |
| 19PAACL1228R | Pacific 12° 120 | 1200,00 |
| PACLEN014 | Pacific VNz 175 | 1436,00 |
| PACLEN015 | Pacific VNz 155 | 1283,00 |
| PACLEN006 | Pacific 45° 33 | 326,00 |
| PACLEN012 | Pacific 45° 65 | 660,00 |
| 19PAACL90F | Pacific 90° 140 | 1395,00 |
| 19PAACL90R | Pacific 90° 140 | 1395,00 |

SHUTTERS -

| | | |
|-----------------|---|-------|
| 20SHZS12 | Acclaim, 1200 Zoomspot & Condensor, Arena Zoomspot. | 86,00 |
| ACXSH | Acclaim Axial Zoomspot. | 64,00 |
| PACSH | Pacific. | 64,00 |

LAMP SOCKET

| | | |
|------------------|---|--------|
| ACCFRLS | GY 9.5 for Acclaim Fresnel 500W - 650W luminaires. | 248,00 |
| ACCPCLS | GY 9.5 for Acclaim PC 500W - 650W luminaires. | 248,00 |
| ACCZSLS | GY 9.5 for Acclaim Zoomspot 500W - 650W luminaires. | 248,00 |
| ACCXLS | GY 9.5 for Acclaim Axial 500W - 650W luminaires. | 248,00 |
| ASTFRLS | G 12 for Astral Fresnel luminaires. | 248,00 |
| ASTXLS | G 12 for Astral Axial luminaires. | 248,00 |
| RAFRLS | GX 9.5 for Rama Fresnel luminaires. | 311,00 |
| RAPCLS | GX 9.5 for Rama PC luminaires. | 311,00 |
| RAFRG22LS | G 22 for Rama Fresnel luminaires. | 465,00 |
| RAPCG22LS | G 22 for Rama PC luminaires. | 465,00 |
| 1200FRLS | GX 9.5 for 1200 Fresnel luminaires. | 311,00 |
| 1200PCLS | GX 9.5 for 1200 PC luminaires. | 311,00 |
| 1200ZSLS | GX 9.5 for 1200 Zoomspot luminaires. | 311,00 |

| | | |
|--------------------|---|--------|
| AREFRGY16LS | GY 16 for Arena Fresnel luminaires. | 390,00 |
| AREPCGY16LS | GY 16 for Arena PC luminaires. | 390,00 |
| AREZSGY16LS | GY 16 for Arena Zoomspot luminaires. | 428,00 |
| AREFRG22LS | G 22 for Arena Fresnel luminaires. | 465,00 |
| AREPCG22LS | G 22 for Arena PC luminaires. | 465,00 |
| AREZSG22LS | G 22 for Arena Zoomspot luminaires. | 465,00 |
| ACCYCLS | Set of 2 for Acclaim Cyc/Flood range. | 128,00 |
| AURCYCLS | Set of 2 for Aurora range. | 143,00 |
| HUICYCLS | Set of 2 for Hui / Lui Cyc & Flood. | 128,00 |
| ARLELE027 | AS lampbase 989 GY 6.5 for MR16 lamps - Aureol / Accent range. | 49,00 |
| FSELE004 | Click Fit Socket for Performer Series Followspot range. | 735,00 |
| PAC6LMLS | G 9.5 - 600W / 800W Pacific lamp module - blue handle. | 218,00 |
| PAC1LMLS | GY 9.5 - 1000W Pacific lamp module - red handle. | 218,00 |
| PACMSRILS | MSR high voltage GX 9.5 - Pacific MSRI lamp module (PACELE017). | 465,00 |
| PACMSRHRLS | MSR Hot Restrike G22 - Pacific HR MSR lamp module. | 544,00 |

MIRRORS

| | | |
|------------------|------------------------------------|--------|
| PACLEN001 | Pacific Cold Mirror. | 735,00 |
| ACCLEN008 | Acclaim Axial Zoomspot Hot Mirror. | 503,00 |

REFLECTORS

| | | |
|---------------------|--|--------|
| ACCREF001 | Acclaim Fresnel & PC. | 116,00 |
| ACCREF005 | Acclaim Axial Zoomspot. | 233,00 |
| 1200REF005 | 1200 range. | 158,00 |
| 20MFR | Mini Fresnel. | 116,00 |
| RAREF001 | Rama Fresnel & PC. | 158,00 |
| AREREF001 | Arena Fresnels - SF2/2.5kW. | 180,00 |
| ACCREF004 | Zoomspot 650. | 195,00 |
| AREREF003 | Arena Zoomspot range. | 428,00 |
| MSRREF001 | MSR 1200 Performer Followspot. | 465,00 |
| ACCREF003 | Acclaim Condensor. | 135,00 |
| MSRREF002 | Performer Quartz 2000. | 488,00 |
| PACREF001 | Pacific universal for all Zoomspots and Fixed Beams. | 285,00 |
| HUICYCREFASS | Hui Cyc Reflector Assembly. | 458,00 |
| HUIFLDREFASS | Hui Flood Reflector Assembly. | 458,00 |
| AURCYCREFASS | Aurora Cyc 114 | 855,00 |

PART

| | | |
|-----------------------|--|--------|
| 12ACTILTHANDLE | Acclaim Fresnel, PC and Zoomspot - tilt handle kit. | 49,00 |
| 15ACFRRH | Acclaim Fresnel, PC and Zoomspot - rear handle and mounting screws. | 45,00 |
| 15FOCUSKNOBKIT | Focus knob kit for Acclaim, Rama and Arena Fresnel & PC ranges. | 34,00 |
| 19PACCFRC | Pacific colour frame retention clip kit. | 60,00 |
| 19PACFRASSEM | Pacific 12-28, 14-35, 45-75, 90 front moulding comes with colour frame retention clip. | 143,00 |
| 19TILTHANDLE | Pacific, Rama, Hui, Lui and Acclaim Axial - tilt lock handle kit. | 38,00 |
| 19PACLTLC | Pacific lens tube / lamp house clamp kit. | 86,00 |
| 19PACLHSEKIT | Replacement Pacific lamp house shipping kit - clamp, bolt set and lamp module knob. | 94,00 |
| 19PACRH | Pacific - rear handle replacement kit. | 56,00 |
| 17RACFLKIT | Rama range - colour frame lid replacement kit. | 60,00 |
| ACCXBMOD | Acclaim Axial lamp module - complete. | 893,00 |

KNOBS

| | | |
|-------------------|--|-------|
| PACMET002 | LCD - 8mm hole locking disc SF12. | 41,00 |
| 1200PLA005 | Rear handle. | 30,00 |
| ACCPLA002 | Acclaim rear handle. | 41,00 |
| ACCPLA001 | Acclaim yoke locking handle. | 30,00 |
| PACPLA028 | Pacific lamp module fastening screw - lamp house. | 8,00 |
| RAPLA009 | Rama - safety bond retention knob. | 26,00 |
| PACPLA043 | Pacific high temperature (80V) lens tube lock knob for lamp house. | 41,00 |
| COMPLA005 | Shutter handle for 1200 range. | 15,00 |

MISCELLANEOU

| | | |
|-------------------|---|-------|
| ACCSPR010 | Acclaim colour frame retention spring. | 15,00 |
| ACCMET009 | Acclaim colour frame retention rifle bolt (older models). | 23,00 |
| ACCPLA005 | Acclaim switch cover plate. | 15,00 |
| 1200SHT042 | 1200 range switch cover plate. | 34,00 |
| AURFAST001 | Rama, Aurora Dzus latch. | 41,00 |
| PACPLA044 | Pacific lamp house wedge - microswitch activator. | 8,00 |
| PACPLA033 | Pacific yoke tilt bolt cover. | 8,00 |
| PACPLA036 | Pacific silicone lens fasteners. | 15,00 |
| PACSHT025 | Pacific gobo slot cover. | 41,00 |
| 1200SPR005 | Aurora, Hui, Lui colour cover clip spring. | 8,00 |
| 1200SPR003 | Lens retaining clip - Y. | 8,00 |
| 1200PLA009 | Teflon washer. | 15,00 |
| RASWFR | Rama Fresnel replacement safety bond. | 79,00 |
| RASWPC | Rama PC replacement safety bond. | 79,00 |
| RALSS | Rama lamp socket spacer set for GX 9.5 socket (to centre 1000W lamp). | 49,00 |

HIGH

| | | |
|--------------------|--|--------|
| ACCLOOM003 | Cable loom - Acclaim Fresnel. | 218,00 |
| ACCLOOM005 | Cable loom - Acclaim PC. | 218,00 |
| ACCLOOM007 | Cable loom - Acclaim Zoomspot. | 218,00 |
| CYCLOOM008 | Cable loom - Acclaim Cyc. | 143,00 |
| 1200LOOM005 | Cable loom - 1200 High Performance and Compact Fresnels. | 233,00 |
| 1200LOOM004 | Cable loom - 1200 High Performance PC. | 233,00 |
| 1200LOOM003 | Cable loom - 1200 Compact PC. | 233,00 |
| RALOOM001 | Cable loom - Rama Fresnel. | 296,00 |
| RALOOM002 | Cable loom - Rama PC. | 296,00 |
| ARELOOM001 | Cable loom - Arena Fresnels and PC. | 353,00 |
| ARELOOM008 | Cable loom - Arena Zoomspot 2/2.5kW. | 353,00 |
| PACLOOM | Cable Loom - Pacific lamp module : 600W & 1000W. | 233,00 |
| HUILOOM001 | Cable Loom - Hui Cyc and Flood. | 233,00 |

HIGH

| | | |
|------------------|------------------------------------|--------|
| COMELE012 | 2mm 3 Core Flex Black per metre. | 109,00 |
| COMELE010 | 1.5mm 3 Core Flex Black per metre. | 86,00 |
| COMELE013 | .75mm 3 core flex per metre. | 79,00 |
| COMELE009 | .75mm 3 core flex White per metre. | 79,00 |

PACIFIC

| | | |
|-------------------|------------------------------------|---------|
| 19PDWRDIMA | Dimmer plate assembly - A (right). | 1125,00 |
| 19PDWRDIMB | Dimmer plate assembly - B (left). | 1125,00 |
| PDWRELE001 | Control PCB. | 2873,00 |
| PDWRELE002 | Power supply PCB. | 544,00 |
| PDWRELE005 | Stepper motor. | 735,00 |
| PDWRMET003 | Drive belt. | 79,00 |
| PDWRLOOM | Mains cable loom. | 311,00 |
| PDWRELE011 | Mains cable power con connector. | 135,00 |
| ACCLEN004 | Front lens (lens tube). | |
| ACCLEN005 | Rear lens (lamp house). | |

PERFORMER

| | | |
|-------------------|---|----------|
| 28FSCF | Colour frame for colour changer. | 210,00 |
| FSIRISUNIT | RUA & TAHI Iris unit only. | 2408,00 |
| FSLEN001 | Tahi - rear lens. | 544,00 |
| FSLEN002 | Tahi and Rua - front lens. | 2175,00 |
| FSLEN003 | Toru - front lens. | 3608,00 |
| FSLEN004 | CTO filter. | 383,00 |
| FSLEN005 | Frost glass. | 503,00 |
| PACLEN019 | Rua and Toru - rear lens - N.B.: 2 x this lens required for doublet design. | 1358,00 |
| FSELE001 | Electronic power supply. | 13973,00 |
| FSELE002 | Ignitor. | 1710,00 |
| FSELE003 | Filter. | 1320,00 |
| FSELE005 | LCD display and P.S. PCB. | 1980,00 |
| FSELE006 | Mains power switch and breaker. | 735,00 |

LAMPS

The following

Replacement

: for Selecon Display profile (SDP)

| | | |
|-----------------------|---------------------------|--------|
| SDPELE016 | 20W CDM. | 353,00 |
| SDPELE017 | 35W CDM. | 353,00 |
| SDPELE018OSRAM | 90W 12V Tungsten Halogen. | 41,00 |

WING range

| | |
|--------------------|--|
| CDMTD35830 | 35W linear Metal Halide - warm white. |
| CDMTD70830 | 70W linear Metal Halide - warm white. |
| CDMTD70942 | 70W linear Metal Halide - cool white. |
| CDMTD150830 | 150W linear Metal Halide - warm white. |
| CDMTD150942 | 150W linear Metal Halide - cool white. |

WING range

| | |
|-----------------|--------------------------------------|
| CFL17W3K | 17W Eco Compact Fluorescent - 3000K. |
| CFL17W4K | 17W Eco Compact Fluorescent - 4000K. |

"T" Class Lamps

| | | |
|-------------|--------------------------------|--------|
| T/25 | 500W: GY 9.5 lamp base, 240V. | 120,00 |
| T/27 | 650W: GY 9.5 lamp base, 240V. | 120,00 |
| T/19 | 1000W: GX 9.5 lamp base, 240V. | 128,00 |
| T/29 | 1200W: GX 9.5 lamp base, 240V. | 188,00 |

"M" Class Lamps

| | |
|------------|-------------------------------|
| M40 | 500W: GY 9.5 lamp base, 240V. |
|------------|-------------------------------|

Compact Filament

| | | |
|-----------------------|---|---------|
| GKV-LL | 600W: G9.5 lamp base, 240V long life. | #VÆRDI! |
| GKV600W / 240V | 600W: G9.5 lamp base, 240V. | 203,00 |
| GKV800W | 800W: G9.5 lamp base, 240V. | 278,00 |
| BP1000W / 240V | 1000W: GY 9.5 lamp base, 240V Blue Pinch. | 263,00 |

"CP" Studio

| | | |
|-------------|--------------------------------|--------|
| CP90 | 1200W: GX 9.5 lamp base, 240V. | 218,00 |
| CP72 | 2000W: GY 16 lamp base, 240V. | 203,00 |
| CP91 | 2500W: G22 lamp base, 240V. | 300,00 |

Lower Voltage

| | | |
|----------------|---|--------|
| 80V1200 | 1200W: for the Pacific 80V Power System, G22 lamp base. | 390,00 |
|----------------|---|--------|

Discharge Lamps

| | | |
|------------------|--|---------|
| MSRMINIQF | 1400W / 800W: MSR Mini Arc lamp for Tahī, Rua and Toru Performer Followspot. | 2873,00 |
| MSR575/2 | 575W: GX 9.5 lamp base, short arc. | #VÆRDI! |
| MSD575 | 575W: GX 9.5 lamp base, long life. | #VÆRDI! |
| MSR575HR | 575W: Hot Restrike MSR. | 1163,00 |
| CST250 | 250W: Ceramic ST 250 Hot Restrike. | 1395,00 |
| MSR250 | 250W: GY 9.5 MSR. | 585,00 |

Linear Halogen

| | | |
|----------------|----------------------------------|---------|
| THD200 | 200W: R7 lamp base, 119mm 240V. | #VÆRDI! |
| THD300 | 300W: R7 lamp base, 119mm 240V. | #VÆRDI! |
| THD | 500W: R7 lamp base, 119mm 240V. | 38,00 |
| THD1000 | 1000W: R7 lamp base, 119mm 240V. | #VÆRDI! |

Linear Halogen

| | | |
|--------------|------------------------------------|-------|
| P2/11 | 800W: R7 lamp base, 119mm 240V. | 71,00 |
| P2/10 | 625W: R7 lamp base, 189mm 240V. | 79,00 |
| P2/7 | 1000W: R7 lamp base, 189mm 240V. | 64,00 |
| P2/12 | 1250W: R7 lamp socket, 189mm 240V. | 68,00 |

| | | |
|---------------------|--|---------|
| CDM-T70-830 | 70W metal halide long life lamp for G12 lamp base. 3000°. | #VÆRDI! |
| CDM-T70-942 | 70W metal halide long life lamp for G12 lamp base. 4200°. | #VÆRDI! |
| CDM-T150-830 | 150W metal halide long life lamp for G12 lamp base. 3000°. | #VÆRDI! |
| CDM-T150-942 | 150W metal halide long life lamp for G12 lamp base. 4200°. | #VÆRDI! |